


## [2016-NEW! Exercise PassLeader 391q 70-412 Exam Dumps Collection To 100 Percent Pass Exam (Question 181 &ndash; Question 210)

How to pass the newest 70-412 exam? What are the new questions of the latest 70-412 exam? PassLeader's best 70-412 VCE dumps and 70-412 PDF dumps will tell you all about the 70-412 exam. For all PassLeader's 391q 70-412 exam questions are the newest and covered all new added questions and answers, which will help you 100% passing 70-412 exam. And we PassLeader will continue updating 70-412 exam questions and answers, you will never fail the 70-412 exam. Hurry up and get the free VCE simulator with your premium 70-412 VCE dumps from passleader.com now! keywords: 70-412 exam,391q 70-412 exam dumps,391q 70-412 exam questions,70-412 pdf dumps,70-412 vce dumps,70-412 braindumps,70-412 practice tests,70-412 study guide,Configuring Advanced Windows Server 2012 R2 Services Exam P.S. Download Free 70-412 PDF Dumps and Preview PassLeader 70-412 VCE Dumps At The End Of This Post!!! (Ctrl+End) QUESTION 181Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the Active Directory Certificate Services server role installed and configured. For all users, you are deploying smart cards for logon. You are using an enrollment agent to enroll the smart card certificates for the users. You need to configure the Contoso Smartcard Logon certificate template to support the use of the enrollment agent. Which setting should you modify? To answer, select the appropriate setting in the answer area.



Answer:

Contoso Smartcard Logon Properties ? X

| Superseded Templates | Extensions    | Security              | Server |
|----------------------|---------------|-----------------------|--------|
| General              | Compatibility | Request Handling      |        |
| Cryptography         | Subject Name  | Issuance Requirements |        |

Require the following for enrollment:

☐ CA certificate manager approval

☒ This number of authorized signatures: 1

If you require more than one signature, autoenrollment is not allowed.

Policy type required in signature:

Application policy

Application policy:

Any Purpose

Issuance policies:

Add...

Remove

Require the following for reenrollment:

☒ Same criteria as for enrollment

☐ Valid existing certificate

☐ Allow key based renewal (\*)

Requires subject information to be provided within the certificate request.

\* Control is disabled due to compatibility settings.

OK Cancel Apply Help

QUESTION 182Hotspot QuestionYour network contains an Active Directory domain named contoso.com. The domain contains the two servers.The servers are configured as shown in the following table.

| Server name | Role                                 |
|-------------|--------------------------------------|
| Server1     | Issuing certification authority (CA) |
| Server2     | Web server                           |

You investigate a report about the potential compromise of a private key for a certificate issued to Server2. You need to revoke the certificate issued to Server2. The solution must ensure that the revocation can be reverted. Which reason code should you select? To answer, select the appropriate reason code in the answer area.

Certificate Revocation X

Are you sure you want to revoke the selected certificate(s)?

Specify a reason, date and time.

Reason code:

Unspecified

Unspecified

Key Compromise

CA Compromise

Change of Affiliation

Superseded

Cease of Operation

Certificate Hold

No


Answer:



**QUESTION 183** Drag and Drop Question Your network contains two Active Directory forests named contoso.com and adatum.com. All domain controllers run Windows Server 2012 R2. A federated trust exists between adatum.com and contoso.com. The trust provides adatum.com users with access to contoso.com resources. You need to configure Active Directory Federation Services (AD FS) claim rules for the federated trust. The solution must meet the following requirements:- In contoso.com, replace an incoming claim type named Group with an outgoing claim type named Role.- In adatum.com, allow users to receive their tokens for the relying party by using their Active Directory group membership as the claim type. The AD FS claim rules must use predefined templates. Which rule types should you configure on each side of the federated trust? To answer, drag the appropriate rule types to the correct location or locations. Each rule type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.




Answer:



**QUESTION 184** Drag and Drop Question Your network contains four servers that run Windows Server 2012 R2. Each server has the Failover Clustering feature installed. Each server has three network adapters installed. An iSCSI SAN is available on the network. You create a failover cluster named Cluster1. You add the servers to the cluster. You plan to configure the network settings of each server node as shown in the following table.

| Network card name | Network ID     | Cluster network   | Network communication                                     |
|-------------------|----------------|-------------------|---|
| NIC1              | 192.168.1.0/24 | Cluster Network 1 | Client traffic, Management traffic, and Heartbeat traffic |
| NIC2              | 192.168.2.0/24 | Cluster Network 2 | Heartbeat traffic only                                    |
| NIC3              | 192.168.3.0/24 | Cluster Network 3 | iSCSI SAN traffic only                                    |

You need to configure the network settings for Cluster1. What should you do? To answer, drag the appropriate network communication setting to the correct cluster network. Each network communication setting may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.



Answer:

| Network Communication Settings                             | Answer Area   |
|--|---|
| Allow cluster network communication on this network        | Cluster Network 1 <input type="text" value="Allow cluster network communication on this network"/>        |
| Do not allow cluster network communication on this network | Cluster Network 2 <input type="text" value="Allow cluster network communication on this network"/>        |
|  | Cluster Network 3 <input type="text" value="Do not allow cluster network communication on this network"/> |

QUESTION 185 Hotspot Question You have a server named Server1 that runs Windows Server 2012 R2. The volumes on Server1 are configured as shown in the following table.

| Volume name | File system | Disk type       | BitLocker encrypted |
|-------------|-------------|-----------------|---------------------|
| Volume1     | NTFS        | Internal SATA   | Yes                 |
| Volume2     | NTFS        | Internal SATA   | No                  |
| Volume3     | NTFS        | USB flash drive | Yes                 |
| Volume4     | NTFS        | USB flash drive | No                  |

A new corporate policy states that backups must use Windows Azure Online Backup whenever possible. You need to identify which backup methods you must use to back up Server1. The solution must use Windows Azure Online Backup whenever possible. Which backup type should you identify for each volume? To answer, select the appropriate backup type for each volume in the answer area. Volume1

Volume1

Volume2

Volume3

Volume4

Answer:

Volume1

Volume2


Volume3

Volume4

QUESTION 186 Drag and Drop Question Your network contains an Active Directory domain named contoso.com. The domain contains four member servers named Server1, Server2, Server3, and Server4. All servers run Windows Server 2012 R2. Server1 and Server2 are located in a site named Site1. Server3 and Server4 are located in a site named Site2. The servers are configured as nodes in a failover cluster named Cluster1. Cluster1 is configured to use the Node Majority quorum configuration. You need to ensure that Server1 is the only server in Site1 that can vote to maintain quorum. What should you run from Windows PowerShell? To answer, drag the appropriate commands to the correct location. Each command may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

| Commands                | Answer Area                          |
|-------------------------|--------------------------------------|
| Get-ClusterNode Server1 | <input type="text" value="Command"/> |
| Get-ClusterNode Server2 | <input type="text" value="Command"/> |
| \$_NodeWeight = 0       |                                      |
| \$_NodeWeight = 1       |                                      |






QUESTION 187Your network contains an Active Directory forest named contoso.com. The forest contains a single domain. The domain contains three domain controllers. The domain controllers are configured as shown in the following table.

| Domain controller name |
|------------------------|
| DC1                    |
| DC2                    |
| DC3                    |

You plan to test an application on a server named Server1. Server1 is currently located in Site1. After the test, Server1 will be moved to Site2. You need to ensure that Server1 attempts to authenticate to DC3 first, while you test the application. What should you do? A. Create a new site and associate the site to an existing site link object.B. Modify the priority of site-specific service location (SRV) DNS records for Site2.C. Create a new subnet object and associate the subnet object to an existing site.D. Modify the weight of site-specific service location (SRV) DNS records Site1. Answer: B QUESTION 188Your network contains an Active Directory domain named contoso.com. The domain contains a file server named Server1.



The File Server Resource Manager role service is installed on Server1. All servers run Windows Server 2012 R2. A Group Policy object (GPO) named GPO1 is linked to the organizational unit (OU) that contains Server1. The following graphic shows the configured settings in GPO1. Server1 contains a folder named Folder1. Folder1 is shared as Share1. You attempt to configure access-denied assistance on Server1, but the Enable access-denied assistance option cannot be selected from File Server Resource Manager. You need to ensure that you can configure access-denied assistance on Server1 manually by using File Server Resource Manager. Which two actions should you perform? A. Set the Enable access-denied assistance on client for all file types policy setting to Disabled for GPO1.B. Set the Customize message for Access Denied errors policy setting to Not Configured for GPO1. C. Set the Enable access-denied assistance on client for all file types policy setting to Enabled for GPO1.D. Set the Customize message for Access Denied errors policy setting to Enabled for GPO1. Answer: BC QUESTION 189Your company has a main office and a remote office. The remote office is used for disaster recovery. The network contains an Active Directory domain named contoso.com. The domain contains member servers named Server1, Server2, Server3, and Server4. All servers run Windows Server 2012 R2. Server1 and Server2 are located in the main office. Server3 and Server4 are located in the remote office. All servers have the Failover Clustering feature installed. The servers are configured as nodes in a failover cluster named Cluster1. Storage is replicated between the main office and the remote site. You need to ensure that Cluster1 is available if two nodes in the same office fail. What are two possible quorum configurations that achieve the goal? (Each correct answer presents a complete solution. Choose two.) A. Node MajorityB. No Majority: Disk OnlyC. Node and File Share MajorityD. Node and Disk Majority Answer: CD QUESTION 190Drag and Drop QuestionYour network contains an Active Directory domain named adatum.com. The domain contains three servers. The servers are configured as shown in the following table.

|         |                        |   |
|---------|------------------------|---|
| Server1 | Windows Server 2012 R2 | Enterprise certification authority (CA) |
| Server2 | Windows Server 2012 R2 | Web server                              |
| Server3 | Windows Server 2008 R2 | Web server                              |

Server1 is configured as shown in the exhibit. (Click the Exhibit button.)



Template1 contains custom cryptography settings that are required by the corporate security team. On Server2, an administrator successfully installs a certificate based on Template1. The administrator reports that Template1 is not listed in the Certificate Enrollment wizard on Server3, even after selecting the Show all templates check box. You need to ensure that you can install a server authentication certificate on Server3. The certificate must comply with the cryptography requirements. Which three actions should you perform in sequence? To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.

| Actions  | Answer Area |
|--|-------------|
| From Certification Authority, click <b>New</b> , and then click <b>Certificate Template to Issue</b> . |             |
| From Certificate Templates, modify the Request Handling settings of the template.                      |             |
| From Certificate Templates, modify the Compatibility settings of the template.                         |             |
| From Certification Authority, modify the Policy Module settings.                                       |             |
| From Certificate Templates, click <b>Duplicate Template</b> .  |             |
| From Certificate Templates, modify the Issuance Requirements settings of the template.                 |             |

Answer:

| Actions  | Answer Area  |
|--|--|
|  | From Certificate Templates, click <b>Duplicate Template</b> .  |
| From Certificate Templates, modify the Request Handling settings of the template.      | From Certificate Templates, modify the Compatibility settings of the template.                         |
|  | From Certification Authority, click <b>New</b> , and then click <b>Certificate Template to Issue</b> . |
| From Certification Authority, modify the Policy Module settings.                       |  |
| From Certificate Templates, modify the Issuance Requirements settings of the template. |  |

QUESTION 191Your company has two offices. The offices are located in Seattle and Montreal. The network contains an Active Directory domain named contoso.com. The domain contains two DHCP servers named Server1 and Server2. Server1 is located in the Seattle office. Server2 is located in the Montreal office. All servers run Windows Server 2012 R2. You need to create a DHCP scope for video conferencing in the Montreal office. The scope must be configured as shown in the following table.

| Parameter           |                    |
|---------------------|--------------------|
| Name                | www.passleader.com |
| Starting IP address |                    |
| Ending IP address   |                    |

Which Windows PowerShell cmdlet should you run? A. Add-DchpServerv4SuperScopeB. Add-DchpServerv4MulticastScopeC.

Add-DHCPservv4PolicyD. Add-DchpServerv4Scope Answer: B QUESTION 192You have a server named Server1 that runs Windows Server 2012 R2. The storage on Server1 is configured as shown in the following table.

| Drive letter | File system | Type       |
|--------------|-------------|------------|
| C            | NTFS        | Local disk |
| D            | NTFS        | Local disk |
| E            | REFS        | iSCSI      |
| F            | NTFS        | iSCSI      |
| G            | NTFS        | Local disk |

You plan to implement Data Deduplication on Server1. You need to identify on which drives you can enable Data Deduplication. Which three drives should you identify? (Each correct answer presents part of the solution. Choose three.) A. CB. DC. ED. FE. G Answer: BDE QUESTION 193You have 20 servers that run Windows Server 2012 R2. You need to create a Windows PowerShell script that registers each server in Windows Azure Online Backup and sets an encryption passphrase. Which two PowerShell cmdlets should you run in the script? (Each correct answer presents part of the solution. Choose two.) A.

New-OBPolicyB. New-OBRetentionPolicyC. Add-OBFileSpecD. Start-OBRegistrationE. Set OBMachineSetting Answer: DE QUESTION 194Your network contains an Active Directory domain named contoso.com. The domain contains a server named


Server1 that runs Windows Server 2012 R2. You need to ensure that a WIM file that is located on a network share is used as the installation source when installing server roles and features on Server1. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Run the dism.exe command and specify the /remove-package parameter.B. Run the Remove-WindowsFeature cmdlet.C. Enable and configure the Specify settings for optional component installation and component repair policy setting by using a Group Policy object (GPO).D. Enable the Enforce upgrade component rules policy setting by using a Group Policy object (GPO).E. Run the Remove-WindowsPackage cmdlet. Answer: CD QUESTION 195Your

network contains an Active Directory forest. The forest contains two domains named contoso.com and fabrikam.com. The functional level of the forest is Windows Server 2003. You have a domain outside the forest named litwareinc.com. You need to configure an access solution to meet the following requirements:- Users in litwareinc.com must be able to access resources on a server named Server1 in contoso.com. - Users in the contoso.com forest must be prevented from accessing any resources in litwareinc.com. - Users in litwareinc.com must be prevented from accessing any other resources in the contoso.com forest.Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.) A. Configure SID filtering on the trust.B. Configure forest-wide authentication on the trust.C. Create a one-way forest trust.D. Create a one-way external trustE. Modify the permission on the Server1 object.F. Configure selective authentication on the trust. Answer: DEF QUESTION 196Your

network contains an Active Directory domain named contoso.com. The domain contains a file server named Server1 that runs Windows Server 2012 R2. All client computers run Windows 8. You need to configure a custom Access Denied message that will be displayed to users when they are denied access to folders or files on Server1. What should you configure? A. A classification propertyB. The File Server Resource Manager OptionsC. A file management taskD. A file screen template Answer: B QUESTION 197Your network contains an Active Directory forest named contoso.com. The forest contains a single domain. The forest contains three Active Directory sites named SiteA, SiteB, and SiteC. The sites contain four domain controllers. The domain controllers are configured as shown in the following table.

| Site name | Domain controller name |
|-----------|------------------------|
| SiteA     | DC1, DC2               |
| SiteB     | DC3, DC4               |
| SiteC     | None                   |

You discover that the users in SiteC are authenticated by the domain controllers in SiteA and SiteB. You need to ensure that the SiteC users are authenticated by the domain controllers in SiteB, unless all of the domain controllers in SiteB are unavailable. What should you do? A. Create additional connection objects for DC3 and DC4.B. Decrease the cost of the site link between SiteB and SiteC.C. Create a site link bridge.D. Disable site link bridging. Answer: B QUESTION 198Your network contains an Active Directory domain named contoso.com. The domain contains a. DC2 has the DHCP Server server role installed. DHCP is configured as shown in the exhibit. (Click the Exhibit button.)



You discover that client computers cannot obtain IPv4 addresses from DC2. You need to ensure that the client computers can obtain IPv4 addresses from DC2. What should you do? A. Disable the Deny filters.B. Enable the Allow filters.C. Authorize DC2.D. Restart the DHCP Server service Answer: C QUESTION 199Your network contains an Active Directory forest named adatum.com. All servers run Windows Server 2012 R2. The domain contains four servers. The servers are configured as shown in the following table.

| Server name | Configuration   |
|-------------|---|
| Server1     | <ul style="list-style-type: none"> <li>Domain controller</li> <li>Windows Server Update Services (WSUS)</li> </ul>            |
| Server2     | <ul style="list-style-type: none"> <li>Read-only domain controller (RODC)</li> <li>DNS server</li> <li>DHCP server</li> </ul> |
| Server3     | <ul style="list-style-type: none"> <li>Domain controller</li> <li>DHCP server</li> </ul>                                      |
| Server4     | <ul style="list-style-type: none"> <li>Member server</li> <li>Distributed File System (DFS)</li> </ul>                        |

You need to deploy IP Address Management (IPAM) to manage DNS and DHCP. On which server should you install IPAM? A. Server1B. Server2C. Server3D. Server4 Answer: D QUESTION 200Hotspot QuestionYour network contains one Active Directory forest named contoso.com and one Active Directory forest named adatum.com. Each forest contains a single domain. You have the domain controllers configured as shown in the following table

| Name | Domain      | Site  | Global catalog |
|------|-------------|-------|----------------|
| DC1  | Contoso.com | Site1 | Yes            |
| DC2  | Contoso.com | Site2 | No             |
| DC3  | Adatum.com  | Site2 | Yes            |
| DC4  | Adatum.com  | Site1 | No             |

You perform the following three actions:- Create a user named User1 on DC3.- Create a file named File1.txt in the SYSVOL folder on DC1. - Create a Group Policy object (GPO) named GPO1 on DC1 and link GPO1 to Site2.You need to identify on which domain controller or controllers each object is stored. What should you identify? To answer, select the appropriate options in the answer area. Answer Area

| Domain controller | File1.txt                | User1                    | GPO1                     |
|-------------------|--------------------------|--------------------------|--------------------------|
| DC1               | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| DC2               | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| DC3               | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| DC4               | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Answer: Answer Area

| Domain controller | File1.txt                           | User1                               | GPO1                                |
|-------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| DC1               | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| DC2               | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| DC3               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| DC4               | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |




QUESTION 201 You have a server named Server1 that runs Windows Server 2012 R2. When you install a custom Application on Server1 and restart the server, you receive the following error message: "The Boot Configuration Data file is missing some required information. File: BootBCD Error code: 0x0000034." You start Server1 by using Windows PE. You need to ensure that you can start Windows Server 2012 R2 on Server1. Which tool should you use? A. Bootsect B. Bootim C. Bootrec D. Bootcfg Answer: C

QUESTION 202 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the Active Directory Rights Management Services server role installed. Your company works with a partner organization that does not have its own Active Directory Rights Management Services (AD RMS) implementation. You need to create a trust policy for the partner organization. The solution must meet the following requirements:- Grant users in the partner organization access to protected content. - Provide users in the partner organization with the ability to create protected content. Which type of trust policy should you create? A. a federated trust B. Windows Live IDC. a trusted publishing domain D. a trusted user domain Answer: A


QUESTION 203 Hotspot Question Your network contains an Active Directory domain named contoso.com. All servers run Windows Server 2012 R2. The domain contains two domain controllers. The domain controllers are configured as shown in the following table.

| Domain controller name | Configuration   |
|------------------------|---|
| DC1                    | <ul style="list-style-type: none"><li>Domain controller</li><li>DNS server</li></ul>                  |
| DC2                    | <ul style="list-style-type: none"><li>Read-only domain controller (RODC)</li><li>DNS server</li></ul> |

On DC1, you create an Active Directory-integrated zone named Zone1. You verify that Zone1 replicates to DC2. You use DNSSEC to sign Zone1. You discover that the updates to Zone1 fail to replicate to DC2. You need to ensure that Zone1 replicates to DC2. What should you configure on DC1? To answer, select the appropriate tab in the answer area.




Answer:




QUESTION 204Hotspot QuestionYour network contains two Hyper-V hosts that are configured as shown in the following table.

| Host name |
|-----------|
| Server1   |
| Server2   |


You create a virtual machine on Server1 named VM1. You plan to export VM1 from Server1 and import VM1 to Server2. You need to ensure that you can start the imported copy of VM1 from snapshots. What should you configure on VM1? To answer, select the appropriate node in the answer area.




Answer:




QUESTION 205Hotspot QuestionYour network contains an Active Directory forest. You implement Dynamic Access Control in the forest. You have the claim types shown in the Claim Types exhibit. (Click the Exhibit button.)



The properties of a user named User1 are configured as shown in the User1 exhibit. (Click the Exhibit button.)



The output of Whoa mi /claims for a user named User2 is shown in the Whoa mi exhibit. (Click the Exhibit button.)



Select Yes if the statement can be shown to be true based on the available information; otherwise select No. Each correct selection is worth one point.

| Answer Area   |                       |                       |
|---|-----------------------|-----------------------|
|   | Yes                   | No                    |
| The security token for User1 contains at least one claim.     | <input type="radio"/> | <input type="radio"/> |
| A value is set for the department attribute of User2.         | <input type="radio"/> | <input type="radio"/> |
| The client computer of User2 supports Dynamic Access Control. | <input type="radio"/> | <input type="radio"/> |

Answer:



| Answer Area   |                                  |                                  |
|---|----------------------------------|----------------------------------|
|   | Yes                              | No                               |
| The security token for User1 contains at least one claim.     | <input checked="" type="radio"/> | <input type="radio"/>            |
| A value is set for the department attribute of User2.         | <input type="radio"/>            | <input checked="" type="radio"/> |
| The client computer of User2 supports Dynamic Access Control. | <input checked="" type="radio"/> | <input type="radio"/>            |

QUESTION 206 You have a server named Server1 that runs Windows Server 2012 R2. You install the File and Storage Services server role on Server1. From Windows Explorer, you view the properties of a folder named Folder1 and you discover that the Classification tab is missing. You need to ensure that you can assign classifications to Folder1 from Windows Explorer manually. What should you do? A. From Folder Options, clear Hide protected operating system files (Recommended). B. Install the File Server Resource Manager role service. C. From Folder Options, select the Always show menus. D. Install the Share and Storage Management Tools. Answer: B

QUESTION 207 Your network contains an Active Directory forest named contoso.com. The forest contains a single domain. The forest contains three Active Directory sites named SiteA, SiteB, and SiteC. The sites contain four domain controllers. The domain controllers are configured as shown in the following table.

| Site name | Domain controller |
|-----------|-------------------|
| SiteA     | DC1, DC2          |
| SiteB     | DC3, DC4          |
| SiteC     | None              |

An IP site link exists between each site. You discover that the users in SiteC are authenticated by the domain controllers in SiteA and SiteB. You need to ensure that the SiteC users are authenticated by the domain controllers in SiteB, unless all of the domain controllers in SiteB are unavailable. What should you do? A. Create an SMTP site link between SiteB and SiteC. B. Create additional connection objects for DC3 and DC4. C. Decrease the cost of the site link between SiteB and SiteC. D. Create additional connection objects for DC1 and DC2. Answer: C

QUESTION 208 Hotspot Question Your network contains an Active Directory domain named contoso.com. The relevant servers in the domain are configured as shown in the following table.

| Server name |
|-------------|
| DC1         |
| DC2         |
| DC3         |
| Server1     |

You plan to create a shared folder on Server1 named Share1. Share1 must only be accessed by users who are using computers that are joined to the domain. You need to identify which servers must be upgraded to support the requirements of Share1. In the table below, identify which computers require an upgrade and which computers do not require an upgrade. Make only one selection in each row. Each correct selection is worth one point.

|         | Requires an upgrade   | Does not require an upgrade |
|---------|-----------------------|-----------------------------|
| DC1     | <input type="radio"/> | <input type="radio"/>       |
| DC2     | <input type="radio"/> | <input type="radio"/>       |
| DC3     | <input type="radio"/> | <input type="radio"/>       |
| Server1 | <input type="radio"/> | <input type="radio"/>       |

Answer:

|         | Requires an upgrade              | Does not require an upgrade      |
|---------|----------------------------------|----------------------------------|
| DC1     | <input type="radio"/>            | <input checked="" type="radio"/> |
| DC2     | <input type="radio"/>            | <input checked="" type="radio"/> |
| DC3     | <input type="radio"/>            | <input checked="" type="radio"/> |
| Server1 | <input checked="" type="radio"/> | <input type="radio"/>            |

QUESTION 209 Your network contains an Active Directory domain named contoso.com. The domain contains two member servers named Server1 and Server2. All servers run Windows Server 2012 R2. Server1 and Server2 have the Failover Clustering feature installed. The servers are configured as nodes in a failover cluster named Cluster1. Cluster1 has access to four physical disks. The disks are configured as shown in the following table.

| Disk name | Disk setting   |
|-----------|--|
| Disk1     | NTFS with BitLocker Drive Encryption (BitLocker) enabled |
| Disk2     | FAT32  |
| Disk3     | ReFS   |
| Disk4     | NTFS   |

You need to ensure that all of the disks can be added to a Cluster Shared Volume (CSV). Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Enable BitLocker on Disk4. B. Format Disk3 to use NTFS. C. Format Disk2 to use NTFS. D. Disable BitLocker on Disk1. Answer: CD

QUESTION 210 Your network contains an Active Directory forest named contoso.com. The contoso.com domain only contains domain controllers that run Windows Server 2012 R2. The forest contains a child domain named child.contoso.com. The child.contoso.com domain only contains domain controllers that run Windows Server 2008 R2. The child.contoso.com domain contains a member server named Server1 that runs Windows Server 2012 R2. You have access to four administrative user accounts in the forest. The administrative user accounts are configured as shown in the following table.

| Account name | Location          | Group membership  |
|--------------|-------------------|-------------------|
| Admin1       | Contoso.com       | Enterprise Admins |
| Admin2       | Contoso.com       | Schema Admins     |
| Admin3       | Child.contoso.com | Domain Admins     |
| Admin4       | Server1           | Administrators    |

You need to ensure that you can add a domain controller that runs Windows Server 2012 R2 to the child.contoso.com domain. Which account should you use to run adprep.exe? A. Admin1 B. Admin2 C. Admin3 D. Admin4 Answer: C

Download Free 70-412 PDF Dumps From Google Drive:  
[https://drive.google.com/open?id=0B-ob6L\\_QjGLpfm94alk1eU9xWjFYRkVoNkl0cjRiOXZRRjVhUXNXTklicDdKZDJwRGJCM1k](https://drive.google.com/open?id=0B-ob6L_QjGLpfm94alk1eU9xWjFYRkVoNkl0cjRiOXZRRjVhUXNXTklicDdKZDJwRGJCM1k) (Explanation For Every Question Is Available!) PassLeader 70-412 VCE Dumps Screenshots:

PassLeader Premium 70-412 V

Mark

Question 8 of 276 (Exam A, Q

Your network contains an Active Directory forest named contoso.com. All servers run Windows Server 20

The domain contains four servers. The servers are configured as shown in the following table.

| Server name | Configuration  |
|-------------|--|
| DC1         | <ul style="list-style-type: none"> <li>Domain controller</li> </ul>  |
| DC2         | <ul style="list-style-type: none"> <li>Domain controller</li> <li>DNS server</li> <li>DHCP server</li> </ul> |
| DC3         | <ul style="list-style-type: none"> <li>Domain controller</li> <li>DHCP server</li> </ul>                     |
| Server1     | <ul style="list-style-type: none"> <li>Windows Server 2012 R2 member server</li> </ul>                       |

You need to deploy IP Address Management (IPAM) to manage DNS and DHCP.

On which server should you install IPAM?

☐ A. DC1
 ☐ B. DC2
 ☐ C. DC3
 ☐ D. Server1

Previous

Next

Review

PassLeader Premium 70-412 VCE Dumps Preview

☐ Mark

Question 13 of 276 (Exam A, Q237)

Your network contains one Active Directory forest named contoso.com. The forest contains two child domains and six domain controllers. The domain controllers are configured as shown in the following table.

| Name | Domain                    | Site          |
|------|---------------------------|---------------|
| DC1  | Contoso.com               | Main office   |
| DC2  | Contoso.com               | Main office   |
| DC3  | Contoso.com               | Europe office |
| DC4  | Contoso.com               | Asia office   |
| DC5  | Sales.contoso.com         | Main office   |
| DC6  | Manufacturing.contoso.com | Main office   |

You have a trust from contoso.com to another forest named fabrikam.com.

You plan to migrate users from contoso.com to fabrikam.com.

You need to ensure that the users who migrated to fabrikam.com can continue to access shared resources in contoso.com. The solution must not require administrators to modify permissions to shared resources.

What should you use?

☐ A. Set-ADSite

☐ B. Set-ADReplicationSite

☐ C. Set-ADDomain

Previous

Next

Review

Show Answer

Show List

Save Session

End Exam

Download New 70-412 VCE Dumps From PassLeader: <http://www.passleader.com/70-412.html> (New Questions Are 100% Available and Wrong Answers Have Been Corrected!!!)